

HYBRID COMPOSITE ARTICLES AND METHODS FOR THEIR
PRODUCTION by David A. Evans

2/3




FIG. 1
(PRIOR ART)






FIG. 3


HYBRID COMPOSITE ARTICLES AND METHODS FOR THEIR
PRODUCTION by David A. Evans



(PRIOR ART)
FIG. 2A



(PRIOR ART)
FIG. 2B



(PRIOR ART)
FIG. 2C

3/3




FIG. 4





FIG. 5
SUBSTITUTE SHEET (RULE 26)

HYBRID COMPOSITE ARTICLES AND METHODS FOR THEIR
PRODUCTION by David A. Evans


HYBRID COMPOSITE ARTICLES AND METHODS FOR THEIR
PRODUCTION by David A. Evans

FIG. 7A (PRIOR ART)




FIG. 8A






FIG. 8B

(PRIOR ART)
FIG. 7B



HYBRID COMPOSITE ARTICLES AND METHODS FOR THEIR
PRODUCTION by David A. Evans

FIG. 9

HYBRID COMPOSITE ARTICLES AND METHODS FOR THEIR
PRODUCTION by David A. Evans

Figure 10 wood chip/glass fabric chunk laminate with 24 oz woven roving skins



HYBRID COMPOSITE ARTICLES AND METHODS FOR THEIR
PRODUCTION by David A. Evans

Figure 11

Laminate boards made from waste glass fabric and wood chips. The amount of glass increases in the boards from left to right. The white veins of the "marbling" are glass and the dark areas are wood.

